






RELIABLE

- Reliable measurement guaranteed in every condition
- Proven algorithms for recognizing environmental conditions
- Obstacle position learning



Designed, patented and manufactured in Italy

The sensor automatically filters out agitators and turbulences as well as vapours and condensation

Perfect for use in the clean and wastewater treatment cycle





GREEN

LEVEL MEASUREMENT SENSORS PORTFOLIO

Select the sensor that best fits your application

Product	Technology	Maximum Range	Liquids	Slurry	Granulates	Powders	IP Rating	Power supply	4 - 20mA	Display	Atex	Modbus	Bluetooth	Hart	Relè
R80	80GHz	8/15m	×	X			IP68	Vdc	2 wire				x		
RPL75	80GHz	20m	х	X			IP67	Vdc	4 wire	X		x	x		х
RPL81	80GHz	20m	x	X		4	IP67/68	Vdc	4 wire			x	X		х
RPL55	26GHz	10m	x	х			IP67	Vdc/Vac	2/4 wire	×	x	x		x	N. P.
RPL56	26GHz	30m	x	X		No.	IP67	Vdc/Vac	2/4 wire	х	х	x		х	
RPL58	26GHz	70m	х	X	Х	х	IP67	Vdc/Vac	2/4 wire	х	х	x		x	
RPL59	26GHz	30/15m	x	х	X	X	IP67	Vdc/Vac	2/4 wire	×	x	×		×	
Meter	Ultrasonic	6/10m	х	Z	х		IP67	Vdc	2/4 wire	x	х	х	х	х	х
KTU	Ultrasonic	6/10m	x		X		IP67/68	Vdc/Vac	4 wire	X		x		44.	х
PTU50	Ultrasonic	1m	X				IP67/68	Vdc	4 wire			х			
PTU51	Ultrasonic	6m	Х		X	1	IP67/68	Vdc	4 wire			Х	X		
PTU56	Ultrasonic	12m	X		Х		IP67/68	Vdc	4 wire			X	х		

APP Green Tools





sgm lektra